

Silicone Spray



Product codes:

Reference: 930002

EAN13: -

UPC: -

Product attributes:

Volume: 400 ml

Product features:

Product Type: Technical products

Volume: 400 ml

Packaging: 12 per box

Brand: SOPPEC

Product short description:

A silicone spray lubricant designed for the lubrication and protection of metal, plastic and rubber parts. The product is water-repellent, pH neutral, weather-resistant and resistant to acids and alkalis. The silicone spray protects rubber elements from freezing and from drying out, and prevents certain parts from squeaking and cracking. It offers excellent mechanical and thermal stability.

Product description:

Specifications of the Silicone spray lubricant

- Packaging: 400 ml
- Composition: 1,000 cst silicone oil
- Appearance: colourless clear liquid
- Propellant: propane-butane
- VOC-EU g/l: 580 g/l
- Relative density (20°C g/ml): 0.659
- Vapour pressure at 20°C: 3 - 4 bar
- Spray flow: 1.5 g/sec
- pH: neutral
- Withstands temperatures: -50°C to +200°C

Health and safety

CLP labelling with three pictograms.

DANGER

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Instructions of use of the Silicone spray lubricant

Shake well before using and apply successive thin coats of Silicone spray. Improved lubrication is obtained once the solvent has evaporated (approximately one minute).

Safety Data Sheet

GET THE SAFETY DATASHEET

